

ATTACHMENT

C


IAP INC.

 P.O. BOX 58
 PHILLIPS, WI 54555
 715/339-3024

SUBMITTAL DATA

☒ OPEN RADIAL
☐ TYPE P

 INDUSTRIAL EXHAUSTERS
 Arrangement 1

CUSTOMER:

Underwood Air Systems, Inc.

 ROTATION
 DISCHARGE
 POSITIONS
 (Clockwise sho

ITEM NO.	QUAN.	CUSTOMER P.O./JOB#		DATE	SALES OFFICE	
1	2	VWA0870 / 890843		9/11/89	UAS	
		FAN BLOWER SIZE	SWSI	EXTRA HD	HEAVY DUTY	DISCHARGE POSITION
		37	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	STD <input checked="" type="checkbox"/> SPEC <input type="checkbox"/>
		CFM	S.P.	PERFORMANCE RPM	BHP	DENSITY
		34,000				Std.
				ROTATION (viewed from drive side)	CLOCKWISE COUNTERCLOCKWISE	
				1 <input checked="" type="checkbox"/> 1 <input checked="" type="checkbox"/>		
				TEMPERATURE	MAX OPERATING TEMPERATURE	
				Std.	Std.	

YES ACCESSORIES SPECIAL INSTRUCTIONS

☐ ACCESS DOOR ☐ BOLTED ☐ HINGED ☐ RAISED
☐ DRAIN PLUG
☐ SPLIT HOUSING ☐ SPLIT BOX
☐ INLET ☐ FLANGED DRILL ☐ SCREEN BOX
☐ INLET VANE ☐ EXTERNAL
☒ FLANGED OUTLET ☐ DRILL
☐ DAMPER ☐ PARALLEL ☐ OPPOSED ☐ INLET ☐ OUTLET ☐ MANUAL ☐ AUTO
☒ PAINT ☒ STANDARD ☐ HI-TEMP ☐ OTHER
☐ GUARDS ☐ SHAFT ☐ BELT ☐ COUPLING
☐ PLUG COOLER
☐ SHAFT COOLING WHEEL
☐ SHAFT SEALS ☐ STANDARD ☐ GAS TIGHT
☐ SPARK RESISTANCE ☐ TYPE A ☐ B ☐ C
☐ INTERGAL BASE ☐ RIS ☐ SPRING ☐ MOTOR POSITION ☐ W ☐ X ☐ Y ☐ Z
☐ MOTOR SUPPLIED BY: IAP ☐ OTHERS ☐
 MOUNTED BY: IAP ☐ OTHERS ☐

HP	RPM	DUTY	ENCL	FRAME
<input type="checkbox"/> DRIVE	V-BELT <input type="checkbox"/>	C.S. <input type="checkbox"/>	ADJ <input type="checkbox"/>	
<input type="checkbox"/> SILENCER	INLET <input type="checkbox"/>	OUTLET <input type="checkbox"/>		
<input type="checkbox"/> TRANSITIONS				
<input type="checkbox"/> ROTABLE HOUSINGS				
<input type="checkbox"/> FILTER BOXES				


CERTIFIED FOR CONSTRUCTION

 IAP, Inc.
 PHILLIPS, WISCONSIN



SEP 11 1989

DATE

BY



All drawings are the property of IAP, Inc., and any use for manufacturing purposes is strictly forbidden. IAP, Inc.



FORM RP-1



Case 1:04-cv-00011-SJM-SPB Document 46-1 Filed 02/15/2006 Page 3 of 3
IAP INC.
P.O. BOX 56
PHILLIPS, WI 54555
715/338-3024

SUBMITTAL DATA

☒ OPEN RADIAL
☐ TYPE P

INDUSTRIAL EXHAUSTER
Arrangement

ROTATION
DISCHARGE
POSITIONS
(Clockwise shown)

CUSTOMER: Underwood Air Systems, Inc.

ITEM NO.	QUAN.	CUSTOMER P.O./JOB#	DATE	SALES OFFICE				
1	2	VWA0870 / 890843	9/11/89	UAS				
		FAN BLOWER SIZE	SWSI	EXTRA HD	HEAVY DUTY	DISCHARGE POSITION	ROTATION (viewed from drive side)	
		37	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	STD <input checked="" type="checkbox"/> SPEC <input type="checkbox"/>	CLOCKWISE COUNTERCLOCKWISE	
		CFM	S.P.	PERFORMANCE RPM	BHP	DENSITY	TEMPERATURE	MAX OPERATING TEMPERATURE
		34,000				Std.	Std.	

YES

ACCESSORIES

SPECIAL INSTRUCTIONS

☐ ACCESS DOOR ☐ BOLTED ☐ HINGED ☐ RAISED

☐ DRAIN PLUG

☐ SPLIT HOUSING ☐ SPLIT BOX

☐ INLET ☐ FLANGED DRILL ☐ SCREEN BOX

☐ INLET VANE ☐ EXTERNAL

☒ FLANGED OUTLET ☐ DRILL

☐ DAMPER ☐ PARALLEL ☐ OPPOSED ☐ INLET ☐ OUTLET ☐ MANUAL ☐ AUTO

☒ PAINT ☒ STANDARD ☐ HI-TEMP ☐ OTHER

☐ GUARDS ☐ SHAFT ☐ BELT ☐ COUPLING

☐ PLUG COOLER

☐ SHAFT COOLING WHEEL

☐ SHAFT SEALS ☐ STANDARD ☐ GAS TIGHT

☐ SPARK RESISTANCE ☐ TYPE A ☐ B ☐ C

☐ INTERGAL BASE ☐ RIS ☐ SPRING ☐ MOTOR POSITION ☐ W ☐ X ☐ Y ☐ Z

☐ MOTOR SUPPLIED BY: IAP ☐ OTHERS ☐

MOUNTED BY: IAP ☐ OTHERS ☐

☐ DRIVE HP RPM DUTY ENCL FRAME
V-BELT ☐ C.S. ☐ ADJ ☐

☐ SILENCER INLET OUTLET

☐ TRANSITIONS

☐ ROTABLE HOUSINGS

☐ FILTER BOXES

CERTIFIED FOR CONSTRUCTION

IAP, Inc.


PHILLIPS, WISCONSIN

SEP 11 1989

DATE

BY

Robert M. Thue



All drawings are the property of IAP, Inc., and any use for manufacturing purposes is strictly forbidden. IAP, Inc.




Up Blast
CW 360



Top Angular U
CW 45



Top Horizontal
CW 90



Top Angular Dov
CW 135



Down Blast
CW 180



Bottom Angular Dov
CW 225



Bottom Horizontal
CW 270



Bottom Angular
CW 315

FORM RP-1